

- levels in larvae of *Lucilia sericata* (Diptera: Calliphoridae) reared on rabbit carcasses containing morphine, *J. Forensic Sci.* 44 (1999) 351–353.
- [66] P. Kintz, A. Tracqui, P. Mangin, Analysis of opiates in fly larvae sampled on a putrified cadaver, *J. Forensic Sci.* 34 (1994) 95–97.
- [67] K.B. Nolte, R.D. Pinder, W.D. Lord, Insect larvae used to detect cocaine poisoning in a decomposed body, *J. Forensic Sci.* 37 (1992) 1179–1185.
- [68] D.W. Sadler, C. Fuke, F. Court, D.J. Pounder, Drug accumulation and elimination in *Calliphora vicina* larvae, *Forensic Sci. Int.* 71 (1995) 191–197.
- [69] D.W. Sadler, C. Seneviratne, D.J. Pounder, Effects of 3,4-methylenedioxymethamphetamine in decomposing tissues on the development of *Parasarcophaga ruficornis* (Diptera: Sarcophagidae) and detection of the drug in postmortem blood, liver tissue, larvae and pupae, *J. Forensic Sci.* 42 (1997) 1212–1213.
- [70] Z. Wilson, S. Hubbard, D.J. Pounder, Drug analysis in fly larvae, *Am. J. Forensic Med. Pathol.* 14 (1993) 118–120.
- [71] H. Batziris, I.M. McIntyre, O.H. Drummer, The effect of sulfur-metabolising bacteria on sulfur-containing psychotropic drugs, 44 (1999) 111–116.
- [72] B. Levine, R.V. Blanke, J.C. Valentour, Postmortem stability of benzodiazepines in blood and tissues, *J. Forensic Sci.* 28 (1983) 102–115.
- [73] H.M. Stevens, The stability of some drugs and poisons in putrefying human liver tissues, *J. Forensic Sci.* 24 (1984) 577–589.
- [74] A. El Mahjoub, C. Staub, Stability of benzodiazepines in whole blood samples stored at varying temperatures (in process citation), *J. Pharm. Biomed. Anal.* 23 (2000) 1057–1063.
- [75] M.D. Robertson, O.H. Drummer, Stability of nitrobenzodiazepines in postmortem blood, *J. Forensic Sci.* 43 (1998) 5–8.
- [76] B. Levine, R.V. Blanke, J.C. Valentour, Postmortem stability of barbiturates in blood and tissues, *J. Forensic Sci.* 29 (1984) 131–138.
- [77] B. Levine, V. Ramcharitar, J.E. Smialek, Stability of ecgonine methyl ester in postmortem urine specimens, *J. Forensic Sci.* 41 (1996) 126–128.
- [78] R.W. Romberg, L. Lee, Comparison of the hydrolysis rates of morphine-3-glucuronide and morphine-6-glucuronide with acid and beta-glucuronidase, *J. Anal. Toxicol.* 19 (1995) 157–162.
- [79] R.W. Romberg, M.R. Past, Reanalysis of forensic urine specimens containing benzoylecgonine and THC-COOH, *J. Forensic Sci.* 39 (1994) 479–485.
- [80] M.J. Hippenstiel, B. Gerson, Optimization of storage conditions for cocaine and benzoylecgonine in urine: a review, *J. Anal. Toxicol.* 18 (1994) 104–109.
- [81] S.N. Giorgi, J.E. Meeker, A 5-year stability study of common illicit drugs in blood, *J. Anal. Toxicol.* 19 (1995) 392–398.
- [82] D.E. Moody, K.M. Monti, A.C. Spanbauer, Long-term stability of abused drugs and antiabuse chemotherapeutic agents stored at  $-20^{\circ}\text{C}$ , *J. Anal. Toxicol.* 23 (1999) 535–540.
- [83] S. Golding Fraga, J. Diaz-Flores Estevez, C. Diaz Romero, Stability of cannabinoids in urine in three storage temperatures, *Ann. Clin. Lab. Sci.* 28 (1998) 160–162.
- [84] S. Dugan, S. Bogema, R.W. Schwartz, N.T. Lappas, Stability of drugs of abuse in urine samples stored at  $-20^{\circ}\text{C}$ , *J. Anal. Toxicol.* 18 (1994) 391–396.
- [85] O.H. Drummer, J. Gerostamoulos, M. Chu, in: K.P. (Ed.), *The Forensic Toxicology of  $\Delta^9$ -Tetrahydrocannabinol (THC)*, The International Association of Forensic Toxicologists, Paris, 2002.
- [86] G. Grinstead, R. Hamilton, D.T. Whipple, Stability of 6-monoacetylmorphine (MAM) in urine, in: V. Spiehler (Ed.), *TIAFT, SOFT*, Tampa, FL, 1994, pp. 91–95.
- [87] D.C. Fuller, W.H. Anderson, Simplified procedure for the determination of free codeine, free morphine, and 6-acetylmorphine in urine, *J. Anal. Toxicol.* 16 (1992) 315–318.
- [88] F. Moriya, Y. Hashimoto, Distribution of free and conjugated morphine in body fluids and tissues in a fatal heroin overdose: is conjugated morphine stable in postmortem specimens? *J. Forensic Sci.* 42 (1997) 736–740.
- [89] G. Skopp, L. Potsch, A. Klingmann, R. Mattern, Stability of morphine, morphine-3-glucuronide, and morphine-6-glucuronide in fresh blood and plasma and postmortem blood samples, *J. Anal. Toxicol.* 25 (2001) 2–7.
- [90] F.T. Carroll, J.V. Marraccini, S. Lewis, W. Wright, Morphine-3- $\beta$ -glucuronide stability in postmortem specimens exposed to bacterial enzymatic hydrolysis, *Am. J. Forensic Med. Pathol.* 21 (2000) 323–329.
- [91] G. Skopp, R. Lutz, B. Ganssmann, R. Mattern, R. Aderjan, Postmortem distribution pattern of morphine and morphine glucuronides in heroin overdose, *Int. J. Legal Med.* 109 (1996) 118–124.
- [92] T. Hilberg, A. Ripel, L. Slordal, A. Bjerneboe, J. Morland, The extent of postmortem drug redistribution in a rat model, *J. Forensic Sci.* 44 (1999) 956–962.
- [93] T. Hilberg, S. Rogde, J. Morland, Postmortem drug redistribution—human cases related to results in experimental animals, *J. Forensic Sci.* 44 (1999) 3–9.
- [94] M. Chu, O.H. Drummer, The postmortem redistribution of  $\Delta^9$ -tetrahydrocannabinol, in: O.H. Drummer, J. Gerostamoulos (Eds.), *The International Association of Forensic Toxicology*, Melbourne, 2003.
- [95] B. Levine, S.C. Wu, A. Dixon, J.E. Smialek, Site dependence of postmortem blood methadone concentrations, *Am. J. Forensic Med. Pathol.* 16 (1995) 97–100.
- [96] C.M. Milroy, A.R. Forrest, Methadone deaths: a toxicological analysis, *J. Clin. Pathol.* 53 (2000) 277–281.
- [97] J.R. Caplehorn, O.H. Drummer, Methadone dose and postmortem blood concentration, *Drug Alcohol Rev.* 21 (2002) 329–333.
- [98] B.K. Logan, D. Snirnow, Postmortem distribution and redistribution of morphine in man, *J. Forensic Sci.* 41 (1996) 37–46.
- [99] J. Gerostamoulos, O.H. Drummer, Postmortem redistribution of morphine and its metabolites, *J. Forensic Sci.* 45 (2000) 843–845.
- [100] W.R. Sawyer, R.B. Forney, Postmortem disposition of morphine in rats, *Forensic Sci. Int.* 38 (1988) 259–273.
- [101] T. Miyazaki, T. Kojima, M. Yashiki, H. Wakamoto, Y. Iwasaki, T. Taniguchi, Site dependence of methamphetamine concentrations in blood samples collected from cadavers of people who had been methamphetamine users, *Am. J. Forensic Med. Pathol.* 14 (1993) 121–124.

- [102] F.E. Barnhart, J.R. Fogacci, D.W. Reed, Methamphetamine—a study of postmortem redistribution, *J. Anal. Toxicol.* 23 (1999) 69–70.
- [103] F. Moriya, Y. Hashimoto, Redistribution of methamphetamine in the early postmortem period, *J. Anal. Toxicol.* 24 (2000) 153–155.
- [104] F. Moriya, Y. Hashimoto, Redistribution of basic drugs into cardiac blood from surrounding tissues during early-stages postmortem, *J. Forensic Sci.* 44 (1999) 10–16.
- [105] F. Moriya, Y. Hashimoto, Redistribution of methamphetamine in the early postmortem period (letter; comment), *J. Anal. Toxicol.* 24 (2000) 153–155.
- [106] T.L. Martin, Three cases of fatal paramethoxyamphetamine overdose, *J. Anal. Toxicol.* 25 (2001) 649–651.
- [107] O.H. Drummer, M. Odell, *The Forensic Pharmacology of Drugs of Abuse*, Arnold, London, 2001.
- [108] C. Lora-Tamayo, T. Tena, A. Rodriguez, Amphetamine derivative related deaths, *Forensic Sci. Int.* 85 (1997) 149–157.
- [109] E. Meyer, J.F. van Bocxlaer, I.M. Dirinck, L. Thienpont, A.P. de Leenheer, Tissue distribution of amphetamine isomers in a fatal overdose, *J. Anal. Toxicol.* 21 (1997) 236–239.
- [110] D.E. Cox, K.R. Williams, “ADAM” or “EVE”?—a toxicological conundrum 77 (1996) 101–108.
- [111] H.J. Helmlin, K. Bracher, D. Bourquin, D. Vonlanthen, R. Brenneisen, Analysis of 3,4-methylenedioxymethamphetamine (MDMA) and its metabolites in plasma and urine by HPLC–DAD and GC–MS, *J. Anal. Toxicol.* 20 (1996) 432–440.
- [112] R. de la Torre, M. Farre, J. Ortuno, M. Mas, R. Brenneisen, P.N. Roset, J. Segura, J. Cami, Non-linear pharmacokinetics of MDMA (‘ecstasy’) in humans, *Br. J. Clin. Pharmacol.* 49 (2000) 104–109.
- [113] M. Mas, M. Farre, R. de la Torre, P.N. Roset, J. Ortuno, J. Segura, J. Cami, Cardiovascular and neuroendocrine effects and pharmacokinetics of 3,4-methylenedioxymethamphetamine in humans, *J. Pharmacol. Exp. Ther.* 290 (1999) 136–145.
- [114] C.M. Milroy, J.C. Clark, A.R. Forrest, Pathology of deaths associated with “ecstasy” and “eve” misuse, *J. Clin. Pathol.* 49 (1996) 149–153.
- [115] G.P. Dowling, E.T. McDonough Jr., R.O. Bost, ‘Eve’ and ‘ecstasy’. A report of five deaths associated with the use of MDEA and MDMA, *JAMA* 257 (1987) 1615–1617.
- [116] A.M. Tsatsakis, M.N. Michalodimitrakis, A.N. Patsalis, MDEA related death in Crete: a case report and literature review, *Vet. Hum. Toxicol.* 39 (1997) 241–244.
- [117] W. Weinmann, M. Bohnert, Lethal monointoxication by overdosage of MDEA, *Forensic Sci. Int.* 91 (1998) 91–101.
- [118] N. Carter, G.N. Ruddy, C.M. Milroy, A.R. Forrest, Deaths associated with MBDB misuse, *Int. J. Legal Med.* 113 (2000) 168–170.
- [119] H.E. Felgate, P.D. Felgate, R.A. James, D.N. Sims, D.C. Vozzo, Recent paramethoxyamphetamine deaths, *J. Anal. Toxicol.* 22 (1998) 169–172.
- [120] D.G. Caldicott, N.A. Edwards, A. Kruijs, K.P. Kirkbride, D.N. Sims, R.W. Byard, M. Prior, R.J. Irvine, Dancing with “death”: *p*-methoxyamphetamine overdose and its acute management, *J. Toxicol. Clin. Toxicol.* 41 (2003) 143–154.
- [121] J. Becker, P. Neis, J. Rohrich, S. Zornlein, A fatal paramethoxymethamphetamine intoxication, *Leg. Med. (Tokyo)* 5 (2003) S138–S141.
- [122] R.W. Byard, J. Gilbert, R. James, R.J. Lokan, Amphetamine derivative fatalities in South Australia—is “ecstasy” the culprit? *Am. J. Forensic Med. Pathol.* 19 (1998) 261–265.
- [123] R.A. James, A. Dinan, Hyperpyrexia associated with fatal paramethoxyamphetamine (PMA) abuse, *Med. Sci. Law* 38 (1998) 83–85.
- [124] S.S. Johansen, A.C. Hansen, I.B. Muller, J.B. Lundemose, M.B. Franzmann, Three fatal cases of PMA and PMMA poisoning in Denmark, *J. Anal. Toxicol.* 27 (2003) 253–256.
- [125] J.C. Kraner, D.J. McCoy, M.A. Evans, L.E. Evans, B.J. Sweeney, Fatalities caused by the MDMA-related drug paramethoxyamphetamine (PMA), *J. Anal. Toxicol.* 25 (2001) 645–648.
- [126] L.H. Ling, C. Marchant, N.A. Buckley, M. Prior, R.J. Irvine, Poisoning with the recreational drug paramethoxyamphetamine (“death”), *Med. J. Aust.* 174 (2001) 453–455.
- [127] E.J. Cone, Pharmacokinetics and pharmacodynamics of cocaine, *J. Anal. Toxicol.* 19 (1995) 459–478.
- [128] F. Moriya, Y. Hashimoto, The effect of postmortem interval on the concentrations of cocaine and cocaethylene in blood and tissues: an experiment using rats, *J. Forensic Sci.* 41 (1996) 129–133.
- [129] F. Moriya, Y. Hashimoto, H. Ishizu, Effects of cocaine administration route on the formation of cocaethylene in drinkers: an experiment using rats, *Forensic Sci. Int.* 76 (1995) 189–197.
- [130] N.L. Benowitz, Clinical pharmacology and toxicology of cocaine, *Pharmacol. Toxicol.* 72 (1993) 3–12.
- [131] K.B. Scheidweiler, M.A. Plessinger, J. Shojate, R.W. Wood, T.C. Kwong, Pharmacokinetics and pharmacodynamics of methylecgonidine, a crack cocaine pyrolyzate, *J. Pharmacol. Exp. Ther.* 15 (2003) 15.
- [132] T. Inaba, D.J. Stewart, W. Kalow, Metabolism of cocaine in man, *Clin. Pharmacol. Ther.* 23 (1978) 547–552.
- [133] E.J. Cone, W.W. Weddington Jr., Prolonged occurrence of cocaine in human saliva and urine after chronic use, *J. Anal. Toxicol.* 13 (1989) 65–68.
- [134] K.L. Preston, D.H. Epstein, E.J. Cone, A.T. Wtsadik, M.A. Huestis, E.T. Moolchan, Urinary elimination of cocaine metabolites in chronic cocaine users during cessation, *J. Anal. Toxicol.* 26 (2002) 393–400.
- [135] N. Samyn, G. De Boeck, A.G. Verstraete, The use of oral fluid and sweat wipes for the detection of drugs of abuse in drivers, *J. Forensic Sci.* 47 (2002) 1380–1387.
- [136] S.B. Karch, B. Stephens, C.H. Ho, Relating cocaine blood concentrations to toxicity—an autopsy study of 99 cases, *J. Forensic Sci.* 43 (1998) 41–45.
- [137] R.E. Mittleman, C.V. Wetli, Cocaine and sudden “natural” death, *J. Forensic Sci.* 32 (1987) 11–19.
- [138] K. Tardiff, E. Gross, J. Wu, M. Stajic, R. Millman, Analysis of cocaine-positive fatalities, *J. Forensic Sci.* 34 (1989) 53–63.
- [139] K.B. Nolte, Rhabdomyolysis associated with cocaine abuse, *Hum. Pathol.* 22 (1991) 1141–1145.
- [140] S.B. Karch, G.S. Green, S. Young, Myocardial hypertrophy and coronary artery disease in male cocaine users, *J. Forensic Sci.* 40 (1995) 591–595.
- [141] O.H. Drummer, Methods for the measurement of benzodiazepines in biological samples, *J. Chromatogr. B: Biomed. Sci. Appl.* 713 (1998) 201–225.

- [142] R. Kronstrand, I. Nystrom, M. Josefsson, S. Hodgins, Segmental ion spray LC–MS–MS analysis of benzodiazepines in hair of psychiatric patients, *J. Anal. Toxicol.* 26 (2002) 479–484.
- [143] H.H. Maurer, Liquid chromatography-mass spectrometry in forensic and clinical toxicology, *J. Chromatogr. B: Biomed. Sci. Appl.* 713 (1998) 3–25.
- [144] J. Zweigenbaum, K. Heinig, S. Steinborner, T. Wachs, J. Henion, High-throughput bioanalytical LC/MS/MS determination of benzodiazepines in human urine: 1000 samples per 12 h, *Anal. Chem.* 71 (1999) 2294–2300.
- [145] O.H. Drummer, Chromatographic screening techniques in systematic toxicological analysis, *J. Chromatogr. B: Biomed. Sci. Appl.* 733 (1999) 27–45.
- [146] J.R. Caplehorn, O.H. Drummer, Fatal methadone toxicity: signs and circumstances, and the role of benzodiazepines, *Aust. N. Z. J. Public Health* 26 (2002) 358–362 (discussion 362–353).
- [147] M.A. Huestis, J.E. Henningfield, E.J. Cone, Blood cannabinoids. I. Absorption of THC and formation of 11-OH-THC and THCCOOH during and after smoking marijuana, *J. Anal. Toxicol.* 16 (1992) 276–282.
- [148] M. Perez-Reyes, S. DiGuiseppi, K. Davis, V.H. Schindler, C.E. Cook, Comparison of effects of marijuana cigarettes of three different potencies, *Clin. Pharmacol. Ther.* 31 (1982) 617–624.
- [149] M.A. Huestis, J.E. Henningfield, E.J. Cone, Blood cannabinoids. II. Models for the prediction of time of marijuana exposure from plasma concentrations of delta 9-tetrahydrocannabinol (THC) and 11-nor-9-carboxy-delta 9-tetrahydrocannabinol (THCCOOH), *J. Anal. Toxicol.* 16 (1992) 283–290.
- [150] C. Giroud, A. Menetrey, M. Augsburg, T. Buclin, P. Sanchez-Mazas, P. Mangin, Delta(9)-THC, 11-OH-delta(9)-THC and delta(9)-THCCOOH plasma or serum to whole blood concentrations distribution ratios in blood samples taken from living and dead people, *Forensic Sci. Int.* 123 (2001) 159–164.
- [151] E. Johansson, M.M. Halldin, S. Agurell, L.E. Hollister, H.K. Gillespie, Terminal elimination plasma half-life of delta 1-tetrahydrocannabinol (delta 1-THC) in heavy users of marijuana, *Eur. J. Clin. Pharmacol.* 37 (1989) 273–277.
- [152] O.H. Drummer, J. Gerostamoulos, H.P. Batziris, M. Chu, J.R. Caplehorn, M.D. Robertson, P. Swann, The involvement of drugs in drivers of motor vehicles killed in Australian road traffic crashes, *Accid. Anal. Prev.*, in press.
- [153] J.G. Ramaekers, G. Berghaus, M. van Laar, O.H. Drummer, Performance impairment and risk of motor vehicle crashes after cannabis, in: I.P. Spruit (Ed.), *Cannabis 2002 Report*, Brussels, Belgium, 2002.
- [154] P. Mura, P. Kintz, B. Ludes, J.M. Gaulier, P. Marquet, S. Martin-Dupont, F. Vincent, A. Kaddour, J.P. Gouille, J. Nouveau, M. Moulisma, S. Tilhet-Coartet, O. Pourrat, Comparison of the prevalence of alcohol, cannabis and other drugs between 900 injured drivers and 900 control subjects: results of a French collaborative study, *Forensic Sci. Int.* 133 (2003) 79–85.
- [155] A. Smith-Kielland, B. Skuterud, J. Morland, Urinary excretion of 11-nor-9-carboxy-delta9-tetrahydrocannabinol and cannabinoids in frequent and infrequent drug users, *J. Anal. Toxicol.* 23 (1999) 323–332.
- [156] P. Kelly, R.T. Jones, Metabolism of tetrahydrocannabinol in frequent and infrequent marijuana users, *J. Anal. Toxicol.* 16 (1992) 228–235.
- [157] E.K. Johansson, L.E. Hollister, M.M. Halldin, Urinary elimination half-life of delta-1-tetrahydrocannabinol-7-oic acid in heavy marijuana users after smoking, *NIDA Res. Monogr.* 95 (1989) 457–458.
- [158] M.A. Huestis, J.M. Mitchell, E.J. Cone, Detection times of marijuana metabolites in urine by immunoassay and GC–MS, *J. Anal. Toxicol.* 19 (1995) 443–449.
- [159] M.A. Huestis, J.M. Mitchell, E.J. Cone, Urinary excretion profiles of 11-nor-9-carboxy-delta 9-tetrahydrocannabinol in humans after single smoked doses of marijuana, *J. Anal. Toxicol.* 20 (1996) 441–452.
- [160] L. Bachs, H. Morland, Acute cardiovascular fatalities following cannabis use, *Forensic Sci. Int.* 124 (2001) 200–203.
- [161] J. Gerostamoulos, V. Staikos, O.H. Drummer, Heroin-related deaths in Victoria: a review of cases for 1997 and 1998, *Drug Alcohol Depend.* 61 (2001) 123–127.
- [162] W.Z. Shou, M. Pelzer, T. Addison, X. Jiang, W. Naidong, An automatic 96-well solid phase extraction and liquid chromatography–tandem mass spectrometry method for the analysis of morphine, *J. Pharm. Biomed. Anal.* 27 (2002) 143–152.
- [163] R. Dams, C.M. Murphy, W.E. Lambert, M.A. Huestis, Urine drug testing for opioids, cocaine, and metabolites by direct injection liquid chromatography/tandem mass spectrometry, *Rapid Commun. Mass Spectrom.* 17 (2003) 1665–1670.
- [164] J.R. Caplehorn, O.H. Drummer, Mortality associated with New South Wales methadone programs in 1994: lives lost and saved, *Med. J. Aust.* 170 (1999) 104–109.
- [165] O.H. Drummer, K. Opeskin, M. Syrjanen, S.M. Cordner, Methadone toxicity causing death in ten subjects starting on a methadone maintenance program, *Am. J. Forensic Med. Pathol.* 13 (1992) 346–350.
- [166] J.R.N. Caplehorn, Deaths in the first two weeks of maintenance treatment in NSW in 1994: identifying cases of iatrogenic toxicity, *Drug Alcohol Rev.* 17 (1998) 9–17.
- [167] C.M. Milroy, A.R.W. Forrest, Methadone deaths: a toxicological analysis, *J. Clin. Pathol.* 53 (2000) 277–281.
- [168] B.K. Logan, Amphetamines: an update on forensic issues, *J. Anal. Toxicol.* 25 (2001) 400–404.
- [169] C. Davidson, A.J. Gow, T.H. Lee, E.H. Ellinwood, Methamphetamine neurotoxicity: necrotic and apoptotic mechanisms and relevance to human abuse and treatment, *Brain Res. Brain Res. Rev.* 36 (2001) 1–22.
- [170] T. Kraemer, H.H. Maurer, Toxicokinetics of amphetamines: metabolism and toxicokinetic data of designer drugs, amphetamine, methamphetamine, and their *N*-alkyl derivatives, *Ther. Drug Monit.* 24 (2002) 277–289.
- [171] A.C. Parrott, Recreational ecstasy/MDMA, the serotonin syndrome, and serotonergic neurotoxicity, *Pharmacol. Biochem. Behav.* 71 (2002) 837–844.
- [172] B.A. Goldberger, E.J. Cone, T.M. Grant, Y.H. Caplan, B.S. Levine, J.E. Smialek, Disposition of heroin and its metabolites in heroin-related deaths, *J. Anal. Toxicol.* 18 (1994) 22–28.
- [173] E. Gyr, R. Brenneisen, D. Bourquin, T. Lehmann, D. Vonlanthen, I. Hug, Pharmacodynamics and pharmacokinetics of intravenously, orally and rectally administered diacetylmorphine in opioid dependents, a two-patient pilot

- study within a heroin-assisted treatment program, *Int. J. Clin. Pharmacol. Ther.* 38 (2000) 486–491.
- [174] F. Moriya, Y. Hashimoto, Distribution of free and conjugated morphine in body fluids and tissues in a fatal heroin overdose: is conjugated morphine stable in post-mortem specimens, *J. Forensic Sci.* 42 (1997) 736–740.
- [175] S.B. Karch, B.G. Stephens, Toxicology and pathology of deaths related to methadone: retrospective review, *West. J. Med.* 172 (2000) 11–14.
- [176] A. Gagajewski, F.S. Apple, Methadone-related deaths in Hennepin County, Minnesota: 1992–2002, *J. Forensic Sci.* 48 (2003) 668–671.
- [177] J. Gerostamoulos, M.P. Burke, O.H. Drummer, Involvement of codeine in drug-related deaths, *Am. J. Forensic Med. Pathol.* 17 (1996) 327–335.
- [178] J.J. Kuhlman Jr., S. Lalani, J. Maglulio Jr., B. Levine, W.D. Darwin, Human pharmacokinetics of intravenous, sublingual, and buccal buprenorphine, *J. Anal. Toxicol.* 20 (1996) 369–378.
- [179] P. Kintz, Deaths involving buprenorphine: a compendium of French cases, *Forensic Sci. Int.* 121 (2001) 65–69.
- [180] R.F. Clark, E.M. Wei, P.O. Anderson, Merperidine: therapeutic use and toxicity, *J. Emerg. Med.* 13 (1995) 797–802.
- [181] K.P. Leow, T. Cramond, M.T. Smith, Pharmacokinetics and pharmacodynamics of oxycodone when given intravenously and rectally to adult patients with cancer pain, *Anaesth. Analg.* 80 (1995) 296–302.
- [182] O.H. Drummer, M.L. Syrjanen, M. Phelan, S.M. Corder, A study of deaths involving oxycodone, *J. Forensic Sci.* 39 (1994) 1069–1075.
- [183] K.A. Moore, S.J. Cina, R. Jones, D.M. Selby, B. Levine, M.L. Smith, Tissue distribution of tramadol and metabolites in an overdose fatality, *Am. J. Forensic Med. Pathol.* 20 (1999) 98–100.
- [184] K.E. Goeringer, B.K. Logan, G.D. Christian, Identification of tramadol and its metabolites in blood from drug-related deaths and drug-impaired drivers, *J. Anal. Toxicol.* 21 (1997) 529–537.
- [185] F. Clarot, J.P. Gouille, E. Vaz, B. Proust, Fatal overdoses of tramadol: is benzodiazepine a risk factor of lethality? *Forensic Sci. Int.* 134 (2003) 57–61.
- [186] D.G. Greenblatt, C.E. Wright, Clinical pharmacokinetics of alprazolam, *Clin. Pharmacokinet.* 24 (1993) 453–471.
- [187] S.A. Kaplan, M.L. Jack, K. Alexander, R.E. Weinfeld, Pharmacokinetic profile of diazepam in man following single intravenous and oral and chronic oral administrations, *J. Pharmaceut. Sci.* 62 (1973) 1789–1796.
- [188] M.A. Mattila, H.M. Larni, Flunitrazepam: a review of its pharmacological properties and therapeutic use, *Drugs* 20 (1980) 353–374.
- [189] J.H. Woods, G. Winger, Abuse liability of flunitrazepam, *J. Clin. Psychopharmacol.* 17 (1997) 1S–57S.
- [190] O.H. Drummer, M.L. Syrjanen, S.M. Corder, Deaths involving the benzodiazepine flunitrazepam, *Am. J. Forensic Med. Pathol.* 14 (1993) 238–243.
- [191] F.J. Ayd Jr., Oxazepam: update 1989, *Int. Clin. Psychopharmacol.* 5 (1990) 1–15.
- [192] J. Sonne, S. Loft, M. Dossing, A. Vollmer-Larsen, K.L. Olesen, M. Victor, F. Andreasen, P.B. Andreasen, Bioavailability and pharmacokinetics of oxazepam, *Eur. J. Clin. Pharmacol.* 35 (1988) 385–389.
- [193] E.A. Heel, *Drugs* 21 (1981) 321–340.
- [194] R. Garnier, E. Guerault, D. Muzard, P. Azoyan, A.E. Chaumet-Riffaud, M.L. Efthymiou, Acute zolpidem poisoning—analysis of 344 cases, *J. Toxicol. Clin. Toxicol.* 32 (1994) 391–404.
- [195] A. Buttner, G. Mall, R. Penning, H. Sachs, S. Weis, The neuropathology of cocaine abuse, *Leg. Med. (Tokyo)* 5 (2003) S240–S242.
- [196] S.B. Karch, Interpretation of blood cocaine and metabolite concentrations, *Am. J. Emerg. Med.* 18 (2000) 635–636.
- [197] R.T. Jones, Marijuana, health and treatment issues, *Psychiatr. Clin. North Am.* 7 (1984) 703–712.
- [198] I.B. Adams, B.R. Martin, Cannabis: pharmacology and toxicology in animals and humans, *Addiction* 91 (1996) 1585–1614.